

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**May 2024**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
05/01/2024	1021	0.5819	1016	0.5761	1016	0.5766	1015	0.5752	1020	0.5775	1016	0.5753	1018	0.5730
05/02/2024	1024	0.5830	1016	0.5770	1016	0.5757	1016	0.5767	1018	0.5780	1016	0.5767	1018	0.5730
05/03/2024	1029	0.5841	1018	0.5779	1016	0.5771	1016	0.5772	1016	0.5767	1017	0.5774	1018	0.5730
05/04/2024	1028	0.5835	1020	0.5791	1017	0.5775	1019	0.5780	1016	0.5764	1019	0.5780	1018	0.5730
05/05/2024	1030	0.5842	1022	0.5801	1019	0.5779	1020	0.5793	1015	0.5763	1020	0.5793	1018	0.5730
05/06/2024	1031	0.5838	1021	0.5792	1021	0.5796	1022	0.5800	1017	0.5771	1023	0.5801	1018	0.5730
05/07/2024	1030	0.5843	1022	0.5807	1022	0.5799	1021	0.5798	1017	0.5775	1021	0.5798	1018	0.5730
05/08/2024	1024	0.5822	1021	0.5799	1021	0.5798	1021	0.5801	1021	0.5790	1022	0.5804	1018	0.5730
05/09/2024	1025	0.5829	1020	0.5808	1020	0.5795	1020	0.5798	1021	0.5799	1020	0.5800	1018	0.5730
05/10/2024	1026	0.5836	1022	0.5816	1020	0.5809	1020	0.5805	1020	0.5805	1021	0.5807	1018	0.5730
05/11/2024	1027	0.5831	1024	0.5800	1023	0.5827	1024	0.5814	1023	0.5819	1024	0.5817	1018	0.5730
05/12/2024	1027	0.5829	1022	0.5786	1024	0.5816	1023	0.5792	1024	0.5827	1024	0.5794	1018	0.5730
05/13/2024	1025	0.5824	1021	0.5785	1024	0.5793	1022	0.5781	1024	0.5825	1023	0.5786	1018	0.5730
05/14/2024	1026	0.5828	1022	0.5791	1024	0.5799	1022	0.5790	1021	0.5785	1022	0.5790	1018	0.5730
05/15/2024	1029	0.5837	1023	0.5802	1022	0.5796	1023	0.5798	1023	0.5795	1024	0.5801	1018	0.5730
05/16/2024	1025	0.5822	1019	0.5795	1021	0.5793	1020	0.5790	1022	0.5795	1021	0.5794	1018	0.5730
05/17/2024	1026	0.5830	1022	0.5809	1019	0.5796	1020	0.5800	1019	0.5792	1020	0.5802	1018	0.5730
05/18/2024	1026	0.5833	1022	0.5805	1021	0.5803	1023	0.5811	1018	0.5792	1023	0.5813	1018	0.5730
05/19/2024	1029	0.5845	1020	0.5787	1023	0.5812	1020	0.5788	1018	0.5794	1021	0.5794	1018	0.5730
05/20/2024	1021	0.5837	1021	0.5790	1024	0.5813	1021	0.5788	1019	0.5796	1020	0.5786	1018	0.5730

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1026	1021	1021	1020	1020	1021	1018
Min BTU	1021	1016	1016	1015	1015	1016	1018
Max BTU	1031	1024	1024	1024	1024	1024	1018
Avg Spec Gv	0.5833	0.5794	0.5795	0.5791	0.5790	0.5793	0.5730
Min Spec Gv	0.5819	0.5761	0.5757	0.5752	0.5763	0.5753	0.5730
Max SpeGvty	0.5845	0.5816	0.5827	0.5814	0.5827	0.5817	0.5730

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**April 2024**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
04/01/2024	1027	0.5825	1023	0.5760	1024	0.5783	1023	0.5770	1020	0.5754	1024	0.5775	1018	0.5730
04/02/2024	1028	0.5855	1020	0.5756	1023	0.5761	1020	0.5751	1024	0.5784	1021	0.5757	1018	0.5730
04/03/2024	1027	0.5842	1021	0.5769	1020	0.5754	1020	0.5765	1024	0.5776	1021	0.5765	1018	0.5730
04/04/2024	1025	0.5839	1020	0.5766	1021	0.5769	1020	0.5766	1021	0.5762	1021	0.5765	1018	0.5730
04/05/2024	1026	0.5830	1020	0.5763	1020	0.5761	1019	0.5756	1021	0.5772	1020	0.5765	1018	0.5730
04/06/2024	1027	0.5840	1019	0.5757	1020	0.5765	1020	0.5762	1020	0.5763	1020	0.5763	1018	0.5730
04/07/2024	1029	0.5876	1019	0.5757	1019	0.5754	1019	0.5751	1020	0.5762	1020	0.5754	1018	0.5730
04/08/2024	1027	0.5863	1020	0.5759	1019	0.5760	1019	0.5757	1019	0.5752	1019	0.5754	1018	0.5730
04/09/2024	1029	0.5884	1019	0.5759	1020	0.5758	1019	0.5756	1020	0.5757	1020	0.5759	1018	0.5730
04/10/2024	1030	0.5876	1019	0.5747	1019	0.5741	1018	0.5743	1019	0.5742	1019	0.5743	1018	0.5730
04/11/2024	1029	0.5857	1020	0.5758	1020	0.5752	1019	0.5754	1019	0.5751	1020	0.5755	1018	0.5730
04/12/2024	1027	0.5847	1018	0.5744	1019	0.5751	1018	0.5749	1020	0.5762	1019	0.5752	1018	0.5730
04/13/2024	1027	0.5854	1020	0.5778	1019	0.5755	1019	0.5764	1018	0.5750	1019	0.5766	1018	0.5730
04/14/2024	1023	0.5829	1019	0.5762	1020	0.5770	1019	0.5763	1021	0.5776	1020	0.5766	1018	0.5730
04/15/2024	1027	0.5836	1020	0.5763	1019	0.5761	1019	0.5763	1020	0.5761	1020	0.5763	1018	0.5730
04/16/2024	1027	0.5837	1020	0.5755	1019	0.5746	1019	0.5746	1020	0.5757	1019	0.5749	1018	0.5730
04/17/2024	1030	0.5844	1021	0.5777	1021	0.5774	1021	0.5777	1020	0.5757	1022	0.5778	1018	0.5730
04/18/2024	1030	0.5843	1018	0.5752	1019	0.5766	1018	0.5761	1020	0.5774	1019	0.5764	1018	0.5730
04/19/2024	1032	0.5845	1018	0.5757	1018	0.5755	1017	0.5753	1018	0.5752	1018	0.5755	1018	0.5730
04/20/2024	1032	0.5839	1017	0.5744	1019	0.5762	1017	0.5746	1019	0.5763	1018	0.5749	1018	0.5730
04/21/2024	1026	0.5833	1018	0.5754	1017	0.5748	1018	0.5748	1019	0.5764	1018	0.5749	1018	0.5730
04/22/2024	1023	0.5823	1020	0.5775	1017	0.5753	1018	0.5758	1018	0.5751	1018	0.5757	1018	0.5730
04/23/2024	1025	0.5819	1020	0.5765	1021	0.5783	1021	0.5775	1020	0.5774	1021	0.5778	1018	0.5730
04/24/2024	1021	0.5805	1019	0.5751	1019	0.5752	1019	0.5749	1020	0.5760	1019	0.5751	1018	0.5730
04/25/2024	1024	0.5811	1019	0.5765	1019	0.5753	1019	0.5757	1020	0.5748	1020	0.5758	1018	0.5730
04/26/2024	1021	0.5808	1019	0.5773	1019	0.5773	1019	0.5772	1020	0.5764	1019	0.5774	1018	0.5730
04/27/2024	1026	0.5813	1021	0.5790	1019	0.5775	1020	0.5777	1019	0.5769	1020	0.5775	1018	0.5730
04/28/2024	1019	0.5803	1016	0.5779	1020	0.5775	1019	0.5785	1019	0.5778	1019	0.5788	1018	0.5730
04/29/2024	1020	0.5809	1016	0.5776	1019	0.5787	1015	0.5778	1019	0.5775	1016	0.5779	1018	0.5730
04/30/2024	1022	0.5815	1016	0.5753	1016	0.5778	1016	0.5765	1019	0.5776	1016	0.5768	1018	0.5730

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1026	1019	1019	1019	1020	1020	1018
Min BTU	1019	1016	1016	1015	1018	1016	1018
Max BTU	1032	1023	1024	1023	1024	1024	1018
Avg Spec Gv	0.5837	0.5762	0.5762	0.5761	0.5763	0.5762	0.5730
Min Spec Gv	0.5803	0.5744	0.5741	0.5743	0.5742	0.5743	0.5730
Max SpeGvty	0.5884	0.5790	0.5787	0.5785	0.5784	0.5788	0.5730

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**March 2024**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
03/01/2024	1027	0.5897	1034	0.5848	1034	0.5845	1035	0.5840	1032	0.5828	1034	0.5849	1026	0.5790
03/02/2024	1030	0.5903	1032	0.5835	1035	0.5852	1032	0.5830	1035	0.5852	1032	0.5834	1026	0.5790
03/03/2024	1027	0.5888	1032	0.5854	1032	0.5832	1032	0.5846	1035	0.5852	1032	0.5843	1026	0.5790
03/04/2024	1033	0.5906	1032	0.5855	1032	0.5851	1032	0.5859	1034	0.5847	1033	0.5861	1026	0.5790
03/05/2024	1031	0.5904	1030	0.5843	1032	0.5855	1030	0.5840	1032	0.5831	1031	0.5846	1026	0.5790
03/06/2024	1024	0.5869	1028	0.5825	1030	0.5839	1029	0.5836	1032	0.5850	1030	0.5844	1026	0.5790
03/07/2024	1024	0.5869	1028	0.5819	1029	0.5826	1027	0.5817	1032	0.5855	1028	0.5818	1026	0.5790
03/08/2024	1027	0.5871	1028	0.5813	1028	0.5817	1028	0.5815	1030	0.5839	1028	0.5818	1026	0.5790
03/09/2024	1030	0.5886	1028	0.5823	1028	0.5814	1026	0.5808	1029	0.5830	1027	0.5811	1026	0.5790
03/10/2024	1028	0.5881	1028	0.5829	1027	0.5813	1028	0.5833	1028	0.5816	1029	0.5833	1026	0.5790
03/11/2024	1026	0.5876	1026	0.5804	1029	0.5833	1027	0.5814	1028	0.5816	1028	0.5826	1026	0.5790
03/12/2024	1025	0.5873	1024	0.5805	1026	0.5805	1025	0.5804	1027	0.5811	1026	0.5802	1026	0.5790
03/13/2024	1024	0.5867	1023	0.5793	1025	0.5805	1023	0.5791	1029	0.5834	1024	0.5801	1018	0.5730
03/14/2024	1025	0.5870	1024	0.5811	1023	0.5794	1023	0.5802	1026	0.5805	1023	0.5797	1018	0.5730
03/15/2024	1025	0.5878	1023	0.5795	1024	0.5807	1023	0.5799	1024	0.5804	1024	0.5812	1018	0.5730
03/16/2024	1029	0.5890	1021	0.5774	1023	0.5791	1022	0.5786	1023	0.5793	1023	0.5793	1018	0.5730
03/17/2024	1027	0.5885	1022	0.5781	1022	0.5781	1020	0.5767	1023	0.5804	1021	0.5772	1018	0.5730
03/18/2024	1023	0.5874	1024	0.5799	1021	0.5773	1023	0.5791	1023	0.5800	1023	0.5793	1018	0.5730
03/19/2024	1024	0.5873	1020	0.5778	1024	0.5798	1021	0.5787	1024	0.5812	1022	0.5791	1018	0.5730
03/20/2024	1039	0.5906	1021	0.5772	1021	0.5780	1020	0.5774	1021	0.5769	1021	0.5777	1018	0.5730
03/21/2024	1038	0.5898	1021	0.5779	1020	0.5773	1020	0.5773	1023	0.5792	1021	0.5773	1018	0.5730
03/22/2024	1035	0.5881	1019	0.5756	1021	0.5770	1020	0.5768	1022	0.5788	1021	0.5774	1018	0.5730
03/23/2024	1031	0.5852	1018	0.5748	1018	0.5753	1017	0.5746	1020	0.5760	1018	0.5750	1018	0.5730
03/24/2024	1024	0.5840	1018	0.5750	1017	0.5747	1018	0.5747	1020	0.5762	1018	0.5749	1018	0.5730
03/25/2024	1021	0.5826	1018	0.5755	1018	0.5748	1018	0.5754	1019	0.5755	1019	0.5755	1018	0.5730
03/26/2024	1021	0.5832	1020	0.5767	1018	0.5754	1018	0.5758	1017	0.5744	1019	0.5759	1018	0.5730
03/27/2024	1026	0.5844	1022	0.5774	1019	0.5764	1021	0.5772	1018	0.5751	1021	0.5773	1018	0.5730
03/28/2024	1027	0.5835	1021	0.5776	1022	0.5772	1021	0.5768	1019	0.5761	1022	0.5770	1018	0.5730
03/29/2024	1027	0.5837	1019	0.5758	1021	0.5776	1020	0.5772	1021	0.5773	1021	0.5780	1018	0.5730
03/30/2024	1026	0.5824	1021	0.5752	1020	0.5758	1020	0.5744	1022	0.5768	1019	0.5747	1018	0.5730
03/31/2024	1025	0.5806	1024	0.5786	1023	0.5767	1023	0.5783	1021	0.5775	1024	0.5781	1018	0.5730

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1027	1024	1025	1024	1025	1025	1021
Min BTU	1021	1018	1017	1017	1017	1018	1018
Max BTU	1039	1034	1035	1035	1035	1034	1026
Avg Spec Gv	0.5869	0.5795	0.5797	0.5794	0.5802	0.5798	0.5753
Min Spec Gv	0.5806	0.5748	0.5747	0.5744	0.5744	0.5747	0.5730
Max SpeGvty	0.5906	0.5855	0.5855	0.5859	0.5855	0.5861	0.5790

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## February 2024

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
02/01/2024	1033	0.5898	1034	0.5877	1035	0.5872	1035	0.5870	1036	0.5869	1036	0.5864	1027	0.5810
02/02/2024	1030	0.5871	1032	0.5857	1031	0.5853	1031	0.5852	1031	0.5857	1032	0.5861	1027	0.5810
02/03/2024	1034	0.5901	1035	0.5866	1034	0.5863	1034	0.5861	1033	0.5859	1034	0.5864	1027	0.5810
02/04/2024	1031	0.5870	1031	0.5842	1033	0.5852	1032	0.5846	1034	0.5859	1033	0.5856	1027	0.5810
02/05/2024	1031	0.5858	1031	0.5831	1030	0.5830	1029	0.5825	1030	0.5834	1031	0.5838	1027	0.5810
02/06/2024	1030	0.5837	1030	0.5815	1031	0.5832	1030	0.5825	1031	0.5833	1032	0.5835	1027	0.5810
02/07/2024	1030	0.5814	1032	0.5838	1030	0.5813	1030	0.5818	1030	0.5805	1029	0.5804	1027	0.5810
02/08/2024	1033	0.5864	1032	0.5853	1033	0.5858	1033	0.5856	1033	0.5854	1033	0.5853	1027	0.5810
02/09/2024	1031	0.5846	1031	0.5822	1031	0.5835	1031	0.5829	1032	0.5844	1032	0.5846	1027	0.5810
02/10/2024	1032	0.5885	1030	0.5830	1030	0.5819	1029	0.5820	1030	0.5811	1030	0.5820	1027	0.5810
02/11/2024	1031	0.5900	1030	0.5827	1029	0.5821	1029	0.5822	1029	0.5829	1029	0.5824	1027	0.5810
02/12/2024	1032	0.5910	1028	0.5820	1029	0.5825	1028	0.5822	1030	0.5828	1030	0.5829	1027	0.5810
02/13/2024	1033	0.5928	1028	0.5823	1028	0.5819	1027	0.5820	1028	0.5818	1028	0.5819	1027	0.5810
02/14/2024	1033	0.5920	1029	0.5820	1028	0.5818	1028	0.5818	1028	0.5821	1028	0.5821	1026	0.5790
02/15/2024	1034	0.5929	1031	0.5845	1029	0.5823	1029	0.5823	1029	0.5822	1029	0.5820	1026	0.5790
02/16/2024	1035	0.5938	1031	0.5872	1031	0.5870	1031	0.5872	1031	0.5858	1031	0.5863	1026	0.5790
02/17/2024	1032	0.5924	1031	0.5863	1030	0.5865	1030	0.5866	1030	0.5864	1031	0.5869	1026	0.5790
02/18/2024	1031	0.5926	1033	0.5856	1033	0.5852	1032	0.5853	1032	0.5852	1032	0.5858	1026	0.5790
02/19/2024	1030	0.5917	1031	0.5826	1032	0.5839	1031	0.5834	1033	0.5849	1033	0.5849	1026	0.5790
02/20/2024	1031	0.5920	1031	0.5820	1031	0.5821	1031	0.5820	1030	0.5819	1031	0.5823	1026	0.5790
02/21/2024	1030	0.5909	1032	0.5818	1031	0.5813	1031	0.5812	1032	0.5822	1032	0.5822	1026	0.5790
02/22/2024	1030	0.5912	1032	0.5834	1032	0.5819	1031	0.5818	1032	0.5817	1032	0.5819	1026	0.5790
02/23/2024	1030	0.5909	1032	0.5839	1033	0.5843	1033	0.5845	1033	0.5839	1033	0.5840	1026	0.5790
02/24/2024	1034	0.5925	1033	0.5853	1032	0.5837	1032	0.5840	1032	0.5838	1032	0.5841	1026	0.5790
02/25/2024	1031	0.5926	1029	0.5840	1033	0.5855	1031	0.5852	1031	0.5839	1032	0.5856	1026	0.5790
02/26/2024	1027	0.5897	1032	0.5843	1030	0.5845	1030	0.5834	1033	0.5843	1030	0.5835	1026	0.5790
02/27/2024	1028	0.5901	1033	0.5836	1031	0.5842	1032	0.5839	1032	0.5849	1032	0.5844	1026	0.5790
02/28/2024	1027	0.5890	1034	0.5841	1033	0.5836	1034	0.5835	1031	0.5850	1034	0.5838	1026	0.5790
02/29/2024	1029	0.5895	1035	0.5852	1033	0.5840	1035	0.5833	1033	0.5837	1035	0.5850	1026	0.5790

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1031	1031	1031	1031	1031	1032	1026
Min BTU	1027	1028	1028	1027	1028	1028	1026
Max BTU	1035	1035	1035	1035	1036	1036	1027
Avg Spec Gv	0.5897	0.5840	0.5838	0.5837	0.5839	0.5840	0.5799
Min Spec Gv	0.5814	0.5815	0.5813	0.5812	0.5805	0.5804	0.5790
Max SpeGvty	0.5938	0.5877	0.5872	0.5872	0.5869	0.5869	0.5810

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## January 2024

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
01/01/2024	1031	0.5881	1024	0.5792	1024	0.5792	1024	0.5784	1023	0.5782	1025	0.5791	1025	0.5790
01/02/2024	1029	0.5851	1025	0.5791	1025	0.5786	1025	0.5790	1024	0.5795	1025	0.5793	1025	0.5790
01/03/2024	1028	0.5844	1025	0.5791	1025	0.5786	1025	0.5789	1025	0.5786	1025	0.5787	1025	0.5790
01/04/2024	1026	0.5833	1026	0.5812	1025	0.5793	1025	0.5794	1025	0.5796	1025	0.5793	1025	0.5790
01/05/2024	1028	0.5846	1027	0.5825	1027	0.5820	1027	0.5820	1026	0.5815	1027	0.5816	1025	0.5790
01/06/2024	1030	0.5882	1028	0.5836	1028	0.5833	1028	0.5832	1027	0.5829	1028	0.5832	1025	0.5790
01/07/2024	1030	0.5876	1027	0.5830	1027	0.5829	1027	0.5825	1028	0.5835	1028	0.5829	1025	0.5790
01/08/2024	1030	0.5867	1030	0.5849	1029	0.5835	1029	0.5834	1028	0.5836	1029	0.5838	1025	0.5790
01/09/2024	1033	0.5899	1030	0.5866	1029	0.5865	1029	0.5864	1029	0.5860	1030	0.5872	1025	0.5790
01/10/2024	1035	0.5895	1033	0.5857	1032	0.5854	1031	0.5853	1031	0.5861	1031	0.5860	1025	0.5790
01/11/2024	1033	0.5912	1031	0.5864	1032	0.5861	1031	0.5861	1033	0.5860	1032	0.5862	1025	0.5790
01/12/2024	1036	0.5925	1031	0.5850	1031	0.5852	1031	0.5851	1031	0.5859	1031	0.5857	1025	0.5790
01/13/2024	1037	0.5923	1030	0.5860	1030	0.5853	1029	0.5851	1030	0.5856	1030	0.5854	1025	0.5790
01/14/2024	1038	0.5917	1033	0.5870	1032	0.5864	1032	0.5864	1031	0.5865	1032	0.5868	1025	0.5790
01/15/2024	1037	0.5907	1032	0.5871	1032	0.5874	1032	0.5872	1032	0.5875	1032	0.5874	1025	0.5790
01/16/2024	1036	0.5896	1033	0.5871	1032	0.5861	1032	0.5861	1032	0.5862	1032	0.5862	1025	0.5790
01/17/2024	1035	0.5886	1032	0.5866	1032	0.5868	1032	0.5869	1033	0.5877	1033	0.5871	1027	0.5810
01/18/2024	1036	0.5892	1035	0.5870	1033	0.5865	1033	0.5862	1032	0.5866	1034	0.5865	1027	0.5810
01/19/2024	1041	0.5916	1040	0.5897	1039	0.5892	1038	0.5885	1038	0.5886	1040	0.5894	1027	0.5810
01/20/2024	1035	0.5900	1037	0.5882	1038	0.5882	1037	0.5881	1039	0.5888	1040	0.5891	1027	0.5810
01/21/2024	1036	0.5900	1037	0.5875	1037	0.5882	1036	0.5876	1036	0.5887	1037	0.5889	1027	0.5810
01/22/2024	1034	0.5886	1033	0.5857	1034	0.5856	1034	0.5857	1035	0.5868	1036	0.5866	1027	0.5810
01/23/2024	1034	0.5905	1034	0.5865	1034	0.5860	1033	0.5859	1033	0.5857	1033	0.5857	1027	0.5810
01/24/2024	1036	0.5910	1034	0.5870	1034	0.5866	1033	0.5864	1034	0.5868	1034	0.5866	1027	0.5810
01/25/2024	1032	0.5892	1032	0.5868	1033	0.5864	1032	0.5863	1033	0.5867	1033	0.5866	1027	0.5810
01/26/2024	1033	0.5909	1035	0.5870	1033	0.5864	1033	0.5866	1033	0.5871	1033	0.5869	1027	0.5810
01/27/2024	1035	0.5914	1035	0.5874	1036	0.5872	1035	0.5871	1035	0.5869	1036	0.5870	1027	0.5810
01/28/2024	1034	0.5949	1035	0.5869	1034	0.5871	1033	0.5868	1035	0.5873	1035	0.5875	1027	0.5810
01/29/2024	1033	0.5948	1036	0.5865	1035	0.5865	1035	0.5857	1035	0.5866	1035	0.5860	1027	0.5810
01/30/2024	1034	0.5946	1037	0.5875	1037	0.5871	1036	0.5866	1036	0.5866	1036	0.5868	1027	0.5810
01/31/2024	1032	0.5944	1036	0.5861	1036	0.5861	1035	0.5856	1036	0.5868	1037	0.5873	1027	0.5810

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1033	1032	1032	1031	1032	1032	1026
Min BTU	1026	1024	1024	1024	1023	1025	1025
Max BTU	1041	1040	1039	1038	1039	1040	1027
Avg Spec Gv	0.5898	0.5855	0.5852	0.5850	0.5853	0.5854	0.5800
Min Spec Gv	0.5833	0.5791	0.5786	0.5784	0.5782	0.5787	0.5790
Max SpeGvty	0.5949	0.5897	0.5892	0.5885	0.5888	0.5894	0.5810

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## December 2023

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
12/01/2023	1021	0.5853	1020	0.5736	1019	0.5733	1019	0.5733	1018	0.5732	1019	0.5732	1013	0.5660
12/02/2023	1024	0.5852	1020	0.5743	1020	0.5742	1020	0.5742	1020	0.5743	1020	0.5739	1013	0.5660
12/03/2023	1029	0.5862	1022	0.5757	1020	0.5744	1020	0.5745	1019	0.5737	1021	0.5750	1013	0.5660
12/04/2023	1026	0.5878	1020	0.5743	1021	0.5750	1020	0.5748	1021	0.5754	1021	0.5749	1013	0.5660
12/05/2023	1035	0.5916	1024	0.5762	1021	0.5746	1022	0.5750	1020	0.5745	1022	0.5751	1013	0.5660
12/06/2023	1035	0.5921	1025	0.5774	1024	0.5768	1025	0.5771	1024	0.5767	1025	0.5772	1013	0.5660
12/07/2023	1035	0.5919	1026	0.5784	1025	0.5774	1025	0.5774	1025	0.5777	1025	0.5775	1013	0.5660
12/08/2023	1039	0.5939	1026	0.5785	1027	0.5787	1027	0.5786	1026	0.5783	1028	0.5793	1013	0.5660
12/09/2023	1031	0.5867	1025	0.5773	1026	0.5781	1026	0.5782	1025	0.5783	1024	0.5771	1013	0.5660
12/10/2023	1033	0.5894	1024	0.5764	1024	0.5767	1024	0.5765	1024	0.5767	1024	0.5765	1013	0.5660
12/11/2023	1030	0.5884	1022	0.5746	1022	0.5747	1021	0.5745	1022	0.5754	1022	0.5744	1013	0.5660
12/12/2023	1030	0.5868	1024	0.5771	1023	0.5754	1023	0.5756	1022	0.5753	1023	0.5757	1013	0.5660
12/13/2023	1032	0.5889	1027	0.5802	1026	0.5797	1026	0.5795	1025	0.5791	1026	0.5800	1025	0.5790
12/14/2023	1031	0.5894	1027	0.5826	1027	0.5814	1027	0.5814	1027	0.5807	1027	0.5819	1025	0.5790
12/15/2023	1035	0.5929	1025	0.5813	1025	0.5812	1025	0.5813	1026	0.5821	1025	0.5813	1025	0.5790
12/16/2023	1033	0.5909	1025	0.5798	1025	0.5809	1024	0.5806	1025	0.5819	1025	0.5810	1025	0.5790
12/17/2023	1031	0.5888	1027	0.5797	1025	0.5786	1025	0.5788	1024	0.5792	1026	0.5788	1025	0.5790
12/18/2023	1029	0.5895	1027	0.5792	1027	0.5795	1027	0.5795	1027	0.5800	1028	0.5798	1025	0.5790
12/19/2023	1035	0.5932	1025	0.5786	1027	0.5787	1026	0.5788	1027	0.5794	1027	0.5790	1025	0.5790
12/20/2023	1034	0.5932	1025	0.5781	1025	0.5781	1024	0.5777	1024	0.5781	1025	0.5780	1025	0.5790
12/21/2023	1033	0.5923	1025	0.5791	1025	0.5782	1024	0.5784	1025	0.5786	1025	0.5785	1025	0.5790
12/22/2023	1034	0.5922	1024	0.5791	1024	0.5786	1025	0.5796	1025	0.5795	1026	0.5799	1025	0.5790
12/23/2023	1034	0.5920	1024	0.5788	1024	0.5788	1024	0.5785	1024	0.5792	1024	0.5790	1025	0.5790
12/24/2023	1033	0.5913	1027	0.5813	1024	0.5783	1025	0.5795	1024	0.5792	1024	0.5788	1025	0.5790
12/25/2023	1028	0.5870	1025	0.5804	1027	0.5811	1028	0.5816	1027	0.5814	1028	0.5816	1025	0.5790
12/26/2023	1030	0.5905	1025	0.5794	1025	0.5791	1024	0.5792	1025	0.5808	1025	0.5797	1025	0.5790
12/27/2023	1032	0.5921	1026	0.5793	1027	0.5793	1026	0.5789	1026	0.5794	1027	0.5795	1025	0.5790
12/28/2023	1028	0.5906	1025	0.5779	1026	0.5778	1026	0.5785	1026	0.5794	1026	0.5787	1025	0.5790
12/29/2023	1035	0.5948	1026	0.5796	1025	0.5775	1025	0.5780	1025	0.5775	1025	0.5781	1025	0.5790
12/30/2023	1030	0.5895	1024	0.5788	1026	0.5809	1025	0.5801	1027	0.5815	1027	0.5822	1025	0.5790
12/31/2023	1033	0.5912	1022	0.5781	1022	0.5773	1022	0.5777	1023	0.5784	1022	0.5779	1025	0.5790

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1032	1024	1024	1024	1024	1025	1020
Min BTU	1021	1020	1019	1019	1018	1019	1013
Max BTU	1039	1027	1027	1028	1027	1028	1025
Avg Spec Gv	0.5902	0.5782	0.5779	0.5780	0.5782	0.5782	0.5740
Min Spec Gv	0.5852	0.5736	0.5733	0.5733	0.5732	0.5732	0.5660
Max SpeGvty	0.5948	0.5826	0.5814	0.5816	0.5821	0.5822	0.5790

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**November 2023**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
11/01/2023	1023	0.5861	1019	0.5742	1017	0.5728	1017	0.5728	1017	0.5730	1018	0.5731	1017	0.5700
11/02/2023	1021	0.5852	1020	0.5754	1020	0.5751	1020	0.5749	1020	0.5754	1021	0.5755	1017	0.5700
11/03/2023	1025	0.5866	1020	0.5759	1020	0.5752	1019	0.5749	1020	0.5753	1020	0.5756	1017	0.5700
11/04/2023	1026	0.5864	1024	0.5777	1020	0.5758	1020	0.5759	1019	0.5750	1022	0.5767	1017	0.5700
11/05/2023	1022	0.5836	1027	0.5800	1022	0.5773	1023	0.5776	1020	0.5754	1025	0.5783	1017	0.5700
11/06/2023	1025	0.5870	1028	0.5799	1027	0.5799	1027	0.5796	1023	0.5778	1027	0.5799	1017	0.5700
11/07/2023	1032	0.5903	1027	0.5786	1028	0.5805	1027	0.5791	1027	0.5806	1026	0.5788	1017	0.5700
11/08/2023	1031	0.5892	1026	0.5791	1029	0.5808	1026	0.5782	1028	0.5796	1026	0.5788	1017	0.5700
11/09/2023	1025	0.5888	1026	0.5781	1027	0.5791	1025	0.5783	1028	0.5802	1026	0.5789	1017	0.5700
11/10/2023	1025	0.5878	1025	0.5777	1027	0.5786	1025	0.5775	1029	0.5810	1025	0.5771	1017	0.5700
11/11/2023	1025	0.5886	1026	0.5777	1025	0.5767	1025	0.5771	1026	0.5784	1025	0.5768	1017	0.5700
11/12/2023	1022	0.5889	1026	0.5780	1025	0.5775	1026	0.5779	1027	0.5790	1027	0.5787	1017	0.5700
11/13/2023	1025	0.5877	1021	0.5744	1025	0.5768	1025	0.5770	1026	0.5789	1026	0.5776	1017	0.5700
11/14/2023	1024	0.5883	1015	0.5709	1023	0.5758	1018	0.5725	1024	0.5771	1017	0.5719	1017	0.5700
11/15/2023	1024	0.5875	1017	0.5725	1016	0.5719	1015	0.5716	1015	0.5715	1016	0.5718	1013	0.5660
11/16/2023	1021	0.5887	1019	0.5743	1018	0.5735	1018	0.5733	1018	0.5731	1018	0.5731	1013	0.5660
11/17/2023	1022	0.5894	1018	0.5738	1019	0.5744	1018	0.5740	1018	0.5740	1019	0.5744	1013	0.5660
11/18/2023	1025	0.5882	1019	0.5742	1018	0.5734	1018	0.5734	1019	0.5746	1018	0.5734	1013	0.5660
11/19/2023	1021	0.5886	1020	0.5753	1018	0.5735	1019	0.5742	1017	0.5727	1020	0.5749	1013	0.5660
11/20/2023	1024	0.5872	1020	0.5743	1020	0.5753	1020	0.5750	1019	0.5747	1021	0.5756	1013	0.5660
11/21/2023	1022	0.5867	1018	0.5728	1019	0.5727	1018	0.5728	1020	0.5741	1019	0.5733	1013	0.5660
11/22/2023	1021	0.5850	1018	0.5726	1018	0.5727	1018	0.5725	1018	0.5729	1018	0.5726	1013	0.5660
11/23/2023	1021	0.5860	1018	0.5722	1018	0.5719	1018	0.5724	1018	0.5728	1018	0.5726	1013	0.5660
11/24/2023	1023	0.5862	1020	0.5744	1019	0.5725	1018	0.5728	1018	0.5721	1019	0.5731	1013	0.5660
11/25/2023	1022	0.5861	1022	0.5759	1019	0.5737	1020	0.5745	1020	0.5745	1020	0.5745	1013	0.5660
11/26/2023	1022	0.5864	1021	0.5755	1021	0.5756	1021	0.5757	1021	0.5757	1022	0.5759	1013	0.5660
11/27/2023	1024	0.5860	1020	0.5738	1020	0.5747	1020	0.5742	1020	0.5752	1020	0.5743	1013	0.5660
11/28/2023	1027	0.5880	1020	0.5739	1020	0.5735	1020	0.5735	1020	0.5740	1020	0.5737	1013	0.5660
11/29/2023	1025	0.5874	1018	0.5722	1019	0.5732	1019	0.5730	1020	0.5740	1020	0.5740	1013	0.5660
11/30/2023	1025	0.5867	1018	0.5728	1017	0.5717	1017	0.5717	1017	0.5715	1017	0.5715	1013	0.5660

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1024	1021	1021	1021	1021	1021	1015
Min BTU	1021	1015	1016	1015	1015	1016	1013
Max BTU	1032	1028	1029	1027	1029	1027	1017
Avg Spec Gv	0.5873	0.5753	0.5752	0.5749	0.5755	0.5752	0.5679
Min Spec Gv	0.5836	0.5709	0.5717	0.5716	0.5715	0.5715	0.5660
Max SpeGvty	0.5903	0.5800	0.5808	0.5796	0.5810	0.5799	0.5700

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## October 2023

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
10/01/2023	1021	0.5834	1021	0.5774	1021	0.5781	1020	0.5777	1022	0.5776	1021	0.5772	1020	0.5720
10/02/2023	1021	0.5839	1021	0.5777	1021	0.5774	1021	0.5774	1021	0.5779	1021	0.5778	1020	0.5720
10/03/2023	1022	0.5848	1021	0.5773	1020	0.5774	1020	0.5772	1021	0.5776	1020	0.5773	1020	0.5720
10/04/2023	1024	0.5852	1022	0.5763	1021	0.5767	1020	0.5770	1021	0.5769	1022	0.5762	1020	0.5720
10/05/2023	1025	0.5849	1023	0.5752	1023	0.5754	1022	0.5762	1023	0.5754	1022	0.5752	1020	0.5720
10/06/2023	1022	0.5833	1024	0.5762	1023	0.5750	1023	0.5750	1023	0.5747	1024	0.5763	1020	0.5720
10/07/2023	1019	0.5813	1024	0.5781	1024	0.5777	1023	0.5767	1024	0.5769	1023	0.5780	1020	0.5720
10/08/2023	1020	0.5822	1024	0.5777	1024	0.5772	1024	0.5782	1024	0.5775	1024	0.5777	1020	0.5720
10/09/2023	1020	0.5805	1020	0.5765	1022	0.5771	1023	0.5774	1023	0.5775	1020	0.5764	1020	0.5720
10/10/2023	1020	0.5803	1022	0.5776	1019	0.5758	1021	0.5767	1019	0.5765	1021	0.5778	1020	0.5720
10/11/2023	1020	0.5819	1023	0.5782	1022	0.5778	1022	0.5774	1021	0.5771	1023	0.5783	1020	0.5720
10/12/2023	1024	0.5841	1023	0.5779	1023	0.5783	1023	0.5781	1023	0.5779	1023	0.5779	1020	0.5720
10/13/2023	1022	0.5834	1023	0.5786	1024	0.5777	1023	0.5776	1022	0.5779	1023	0.5787	1020	0.5720
10/14/2023	1024	0.5828	1023	0.5794	1023	0.5778	1023	0.5786	1022	0.5784	1023	0.5794	1020	0.5720
10/15/2023	1025	0.5844	1025	0.5798	1023	0.5787	1023	0.5793	1023	0.5787	1024	0.5797	1020	0.5720
10/16/2023	1025	0.5857	1026	0.5802	1024	0.5798	1025	0.5801	1024	0.5790	1026	0.5800	1020	0.5720
10/17/2023	1026	0.5856	1023	0.5784	1024	0.5789	1025	0.5790	1026	0.5795	1023	0.5783	1020	0.5720
10/18/2023	1024	0.5852	1021	0.5776	1023	0.5787	1022	0.5783	1023	0.5782	1023	0.5784	1017	0.5700
10/19/2023	1024	0.5840	1021	0.5757	1021	0.5766	1021	0.5766	1021	0.5779	1021	0.5767	1017	0.5700
10/20/2023	1024	0.5829	1020	0.5745	1021	0.5755	1021	0.5755	1020	0.5761	1021	0.5755	1017	0.5700
10/21/2023	1024	0.5838	1021	0.5756	1019	0.5739	1020	0.5748	1021	0.5758	1020	0.5745	1017	0.5700
10/22/2023	1024	0.5849	1023	0.5766	1020	0.5742	1020	0.5748	1018	0.5742	1023	0.5771	1017	0.5700
10/23/2023	1022	0.5838	1022	0.5751	1022	0.5764	1022	0.5763	1019	0.5744	1022	0.5760	1017	0.5700
10/24/2023	1021	0.5842	1022	0.5761	1022	0.5753	1022	0.5751	1019	0.5740	1022	0.5753	1017	0.5700
10/25/2023	1023	0.5842	1022	0.5763	1022	0.5754	1022	0.5759	1021	0.5753	1022	0.5761	1017	0.5700
10/26/2023	1022	0.5838	1022	0.5763	1022	0.5765	1021	0.5760	1022	0.5760	1022	0.5763	1017	0.5700
10/27/2023	1022	0.5841	1020	0.5747	1021	0.5754	1021	0.5754	1022	0.5765	1022	0.5757	1017	0.5700
10/28/2023	1023	0.5843	1019	0.5742	1020	0.5741	1020	0.5744	1020	0.5749	1019	0.5738	1017	0.5700
10/29/2023	1024	0.5844	1018	0.5739	1018	0.5735	1018	0.5738	1019	0.5745	1018	0.5740	1017	0.5700
10/30/2023	1021	0.5836	1018	0.5735	1018	0.5729	1017	0.5728	1018	0.5737	1018	0.5732	1017	0.5700
10/31/2023	1021	0.5848	1017	0.5730	1018	0.5736	1018	0.5735	1019	0.5740	1018	0.5734	1017	0.5700

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1023	1022	1022	1021	1021	1022	1019
Min BTU	1019	1017	1018	1017	1018	1018	1017
Max BTU	1026	1026	1024	1025	1026	1026	1020
Avg Spec Gv	0.5837	0.5766	0.5764	0.5765	0.5765	0.5767	0.5711
Min Spec Gv	0.5803	0.5730	0.5729	0.5728	0.5737	0.5732	0.5700
Max SpeGvty	0.5857	0.5802	0.5798	0.5801	0.5795	0.5800	0.5720

\*\*\* Unofficial Data, Subject to Change \*\*\*



# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## September 2023

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
09/01/2023	1031	0.5846	1030	0.5843	1029	0.5839	1031	0.5848	1031	0.5849	1030	0.5843	1024	0.5770
09/02/2023	1030	0.5842	1030	0.5843	1031	0.5848	1030	0.5844	1030	0.5842	1030	0.5843	1024	0.5770
09/03/2023	1030	0.5841	1029	0.5839	1031	0.5845	1030	0.5842	1030	0.5840	1029	0.5839	1024	0.5770
09/04/2023	1029	0.5835	1030	0.5833	1030	0.5840	1029	0.5836	1029	0.5839	1030	0.5833	1024	0.5770
09/05/2023	1030	0.5835	1031	0.5842	1029	0.5837	1030	0.5833	1030	0.5836	1031	0.5842	1024	0.5770
09/06/2023	1031	0.5843	1031	0.5837	1031	0.5836	1031	0.5838	1031	0.5841	1031	0.5837	1024	0.5770
09/07/2023	1031	0.5834	1030	0.5829	1031	0.5836	1031	0.5831	1031	0.5839	1030	0.5829	1024	0.5770
09/08/2023	1031	0.5831	1031	0.5834	1031	0.5830	1030	0.5827	1031	0.5828	1031	0.5834	1024	0.5770
09/09/2023	1031	0.5830	1031	0.5841	1031	0.5834	1030	0.5829	1031	0.5834	1031	0.5841	1024	0.5770
09/10/2023	1030	0.5840	1030	0.5850	1030	0.5842	1030	0.5830	1031	0.5841	1030	0.5850	1024	0.5770
09/11/2023	1031	0.5851	1029	0.5841	1031	0.5845	1030	0.5842	1031	0.5849	1029	0.5841	1024	0.5770
09/12/2023	1029	0.5842	1028	0.5835	1030	0.5843	1029	0.5840	1030	0.5842	1028	0.5835	1024	0.5770
09/13/2023	1028	0.5827	1027	0.5823	1029	0.5843	1028	0.5830	1029	0.5846	1027	0.5823	1024	0.5770
09/14/2023	1027	0.5820	1029	0.5842	1029	0.5837	1028	0.5827	1028	0.5833	1029	0.5842	1020	0.5720
09/15/2023	1029	0.5837	1029	0.5845	1029	0.5840	1029	0.5841	1030	0.5840	1029	0.5845	1024	0.5770
09/16/2023	1023	0.5855	1027	0.5841	1030	0.5839	1029	0.5842	1029	0.5843	1027	0.5841	1020	0.5720
09/17/2023	1024	0.5850	1027	0.5825	1028	0.5835	1028	0.5839	1029	0.5835	1027	0.5825	1020	0.5720
09/18/2023	1025	0.5841	1025	0.5813	1027	0.5838	1027	0.5825	1027	0.5838	1025	0.5813	1020	0.5720
09/19/2023	1022	0.5844	1027	0.5791	1026	0.5813	1026	0.5812	1026	0.5818	1027	0.5791	1020	0.5720
09/20/2023	1020	0.5838	1026	0.5792	1028	0.5795	1027	0.5790	1028	0.5806	1025	0.5791	1020	0.5720
09/21/2023	1021	0.5833	1026	0.5784	1026	0.5787	1025	0.5781	1029	0.5809	1026	0.5786	1020	0.5720
09/22/2023	1023	0.5837	1026	0.5793	1026	0.5779	1026	0.5789	1029	0.5793	1026	0.5790	1020	0.5720
09/23/2023	1024	0.5829	1024	0.5774	1027	0.5800	1026	0.5791	1026	0.5780	1023	0.5778	1020	0.5720
09/24/2023	1026	0.5848	1025	0.5795	1026	0.5777	1024	0.5773	1026	0.5797	1024	0.5792	1020	0.5720
09/25/2023	1025	0.5849	1024	0.5794	1024	0.5782	1024	0.5790	1026	0.5781	1023	0.5795	1020	0.5720
09/26/2023	1023	0.5839	1023	0.5785	1024	0.5791	1023	0.5792	1026	0.5791	1022	0.5784	1020	0.5720
09/27/2023	1021	0.5831	1022	0.5781	1022	0.5779	1022	0.5783	1024	0.5790	1021	0.5781	1020	0.5720
09/28/2023	1019	0.5844	1023	0.5793	1022	0.5787	1022	0.5782	1022	0.5783	1022	0.5792	1020	0.5720
09/29/2023	1023	0.5837	1022	0.5780	1023	0.5786	1022	0.5784	1023	0.5791	1021	0.5799	1020	0.5720
09/30/2023	1021	0.5838	1021	0.5780	1022	0.5779	1021	0.5779	1022	0.5777	1020	0.5778	1020	0.5720

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1026	1027	1028	1027	1028	1027	1022
Min BTU	1019	1021	1022	1021	1022	1020	1020
Max BTU	1031	1031	1031	1031	1031	1031	1024
Avg Spec Gv	0.5839	0.5817	0.5819	0.5816	0.5821	0.5817	0.5743
Min Spec Gv	0.5820	0.5774	0.5777	0.5773	0.5777	0.5778	0.5720
Max SpeGvty	0.5855	0.5850	0.5848	0.5848	0.5849	0.5850	0.5770

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## August 2023

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
08/01/2023	1022	0.5821	1023	0.5789	1022	0.5798	1023	0.5798	1022	0.5790	1023	0.5799	1026	0.5800
08/02/2023	1027	0.5858	1025	0.5810	1022	0.5798	1023	0.5792	1023	0.5783	1025	0.5810	1026	0.5800
08/03/2023	1019	0.5817	1026	0.5812	1022	0.5800	1024	0.5804	1025	0.5806	1026	0.5812	1026	0.5800
08/04/2023	1013	0.5794	1025	0.5811	1024	0.5805	1025	0.5809	1026	0.5814	1025	0.5811	1026	0.5800
08/05/2023	1023	0.5835	1024	0.5814	1025	0.5812	1024	0.5797	1025	0.5809	1024	0.5814	1026	0.5800
08/06/2023	1016	0.5805	1024	0.5804	1025	0.5812	1025	0.5815	1025	0.5818	1024	0.5804	1026	0.5800
08/07/2023	1019	0.5830	1028	0.5830	1025	0.5810	1023	0.5801	1024	0.5804	1028	0.5830	1026	0.5800
08/08/2023	1020	0.5827	1030	0.5848	1025	0.5810	1025	0.5810	1028	0.5825	1030	0.5848	1026	0.5800
08/09/2023	1018	0.5822	1031	0.5851	1024	0.5810	1030	0.5842	1031	0.5849	1031	0.5851	1026	0.5800
08/10/2023	1019	0.5838	1032	0.5860	1027	0.5821	1030	0.5848	1030	0.5849	1032	0.5860	1026	0.5800
08/11/2023	1021	0.5845	1031	0.5867	1031	0.5851	1031	0.5857	1031	0.5860	1031	0.5867	1026	0.5800
08/12/2023	1019	0.5833	1031	0.5868	1032	0.5860	1031	0.5863	1031	0.5860	1031	0.5868	1026	0.5800
08/13/2023	1021	0.5859	1032	0.5868	1031	0.5864	1030	0.5861	1031	0.5865	1030	0.5868	1026	0.5800
08/14/2023	1024	0.5859	1030	0.5859	1031	0.5866	1032	0.5862	1031	0.5860	1030	0.5859	1026	0.5800
08/15/2023	1027	0.5872	1030	0.5857	1033	0.5868	1030	0.5855	1030	0.5858	1030	0.5857	1026	0.5800
08/16/2023	1032	0.5902	1030	0.5859	1032	0.5863	1030	0.5858	1030	0.5855	1030	0.5859	1024	0.5770
08/17/2023	1038	0.5925	1030	0.5856	1031	0.5860	1029	0.5859	1031	0.5858	1032	0.5856	1024	0.5770
08/18/2023	1029	0.5879	1029	0.5843	1030	0.5845	1030	0.5852	1031	0.5852	1029	0.5843	1024	0.5770
08/19/2023	1038	0.5919	1029	0.5848	1030	0.5845	1030	0.5842	1029	0.5846	1029	0.5848	1024	0.5770
08/20/2023	1026	0.5856	1028	0.5846	1029	0.5849	1029	0.5849	1030	0.5849	1028	0.5846	1024	0.5770
08/21/2023	1032	0.5891	1028	0.5842	1029	0.5845	1028	0.5844	1029	0.5847	1028	0.5842	1024	0.5770
08/22/2023	1029	0.5873	1030	0.5846	1029	0.5844	1028	0.5842	1029	0.5842	1030	0.5846	1024	0.5770
08/23/2023	1031	0.5896	1031	0.5843	1029	0.5841	1030	0.5842	1030	0.5843	1031	0.5843	1024	0.5770
08/24/2023	1029	0.5863	1030	0.5844	1031	0.5845	1030	0.5843	1031	0.5841	1030	0.5844	1024	0.5770
08/25/2023	1029	0.5834	1028	0.5825	1031	0.5845	1030	0.5842	1031	0.5847	1028	0.5825	1024	0.5770
08/26/2023	1029	0.5832	1029	0.5836	1030	0.5844	1028	0.5821	1029	0.5829	1029	0.5836	1024	0.5770
08/27/2023	1029	0.5840	1028	0.5836	1029	0.5835	1029	0.5827	1029	0.5834	1028	0.5836	1024	0.5770
08/28/2023	1028	0.5835	1028	0.5833	1029	0.5834	1028	0.5835	1028	0.5834	1028	0.5833	1024	0.5770
08/29/2023	1030	0.5840	1029	0.5844	1030	0.5834	1028	0.5832	1029	0.5837	1029	0.5844	1024	0.5770
08/30/2023	1030	0.5842	1030	0.5848	1030	0.5834	1029	0.5840	1029	0.5842	1030	0.5848	1024	0.5770
08/31/2023	1031	0.5843	1031	0.5853	1029	0.5836	1030	0.5845	1031	0.5845	1031	0.5853	1024	0.5770

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1026	1029	1028	1028	1029	1029	1025
Min BTU	1013	1023	1022	1023	1022	1023	1024
Max BTU	1038	1032	1033	1032	1031	1032	1026
Avg Spec Gv	0.5851	0.5840	0.5835	0.5835	0.5837	0.5841	0.5785
Min Spec Gv	0.5794	0.5789	0.5798	0.5792	0.5783	0.5799	0.5770
Max SpeGvty	0.5925	0.5868	0.5868	0.5863	0.5865	0.5868	0.5800

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**July 2023**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
07/01/2023	1031	0.5881	1027	0.5839	1027	0.5838	1027	0.5836	1026	0.5832	1027	0.5836	1021	0.5740
07/02/2023	1032	0.5879	1030	0.5842	1027	0.5832	1028	0.5837	1028	0.5841	1029	0.5839	1021	0.5740
07/03/2023	1030	0.5882	1035	0.5863	1031	0.5846	1031	0.5844	1028	0.5835	1033	0.5849	1021	0.5740
07/04/2023	1034	0.5883	1033	0.5860	1035	0.5863	1035	0.5860	1035	0.5859	1031	0.5842	1021	0.5740
07/05/2023	1032	0.5881	1031	0.5849	1033	0.5854	1033	0.5854	1035	0.5861	1030	0.5842	1021	0.5740
07/06/2023	1033	0.5902	1028	0.5837	1030	0.5843	1030	0.5843	1031	0.5850	1028	0.5837	1021	0.5740
07/07/2023	1032	0.5907	1027	0.5829	1028	0.5833	1028	0.5833	1028	0.5838	1027	0.5829	1021	0.5740
07/08/2023	1034	0.5907	1029	0.5837	1029	0.5838	1029	0.5838	1026	0.5822	1029	0.5837	1021	0.5740
07/09/2023	1032	0.5890	1028	0.5830	1028	0.5832	1028	0.5832	1029	0.5837	1028	0.5830	1021	0.5740
07/10/2023	1031	0.5895	1031	0.5848	1030	0.5846	1030	0.5846	1029	0.5835	1031	0.5849	1021	0.5740
07/11/2023	1033	0.5905	1032	0.5850	1031	0.5845	1031	0.5845	1031	0.5844	1032	0.5864	1021	0.5740
07/12/2023	1031	0.5903	1029	0.5836	1031	0.5850	1031	0.5851	1032	0.5851	1029	0.5836	1021	0.5740
07/13/2023	1033	0.5866	1026	0.5820	1027	0.5819	1028	0.5828	1031	0.5848	1026	0.5820	1026	0.5800
07/14/2023	1031	0.5902	1028	0.5838	1026	0.5819	1026	0.5817	1028	0.5828	1028	0.5838	1026	0.5800
07/15/2023	1031	0.5907	1030	0.5853	1028	0.5837	1028	0.5834	1026	0.5825	1030	0.5853	1026	0.5800
07/16/2023	1029	0.5881	1031	0.5853	1030	0.5850	1031	0.5856	1028	0.5841	1031	0.5853	1026	0.5800
07/17/2023	1030	0.5894	1029	0.5842	1030	0.5844	1030	0.5850	1030	0.5849	1029	0.5842	1026	0.5800
07/18/2023	1028	0.5885	1029	0.5841	1028	0.5835	1029	0.5842	1028	0.5835	1029	0.5841	1026	0.5800
07/19/2023	1026	0.5877	1029	0.5842	1029	0.5840	1028	0.5838	1029	0.5837	1029	0.5842	1026	0.5800
07/20/2023	1024	0.5863	1029	0.5847	1029	0.5840	1029	0.5839	1029	0.5839	1029	0.5847	1026	0.5800
07/21/2023	1025	0.5871	1029	0.5847	1029	0.5849	1028	0.5845	1028	0.5847	1029	0.5847	1026	0.5800
07/22/2023	1023	0.5847	1029	0.5844	1029	0.5840	1028	0.5841	1029	0.5844	1029	0.5844	1026	0.5800
07/23/2023	1030	0.5878	1026	0.5819	1028	0.5836	1028	0.5840	1029	0.5841	1026	0.5819	1026	0.5800
07/24/2023	1027	0.5867	1025	0.5815	1025	0.5814	1025	0.5816	1025	0.5812	1025	0.5815	1026	0.5800
07/25/2023	1022	0.5848	1025	0.5807	1025	0.5817	1025	0.5814	1025	0.5815	1025	0.5807	1026	0.5800
07/26/2023	1029	0.5858	1023	0.5796	1025	0.5817	1024	0.5807	1024	0.5800	1023	0.5796	1026	0.5800
07/27/2023	1025	0.5862	1022	0.5791	1025	0.5816	1023	0.5796	1023	0.5793	1022	0.5792	1026	0.5800
07/28/2023	1024	0.5844	1022	0.5797	1024	0.5807	1022	0.5791	1022	0.5792	1022	0.5797	1026	0.5800
07/29/2023	1024	0.5835	1022	0.5801	1023	0.5795	1022	0.5794	1021	0.5792	1022	0.5801	1026	0.5800
07/30/2023	1021	0.5831	1023	0.5805	1022	0.5794	1022	0.5797	1022	0.5799	1023	0.5805	1026	0.5800
07/31/2023	1019	0.5838	1023	0.5798	1022	0.5797	1022	0.5799	1023	0.5804	1023	0.5798	1026	0.5800

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
Avg BTU	1029		1028		1028		1028		1028		1028		1024	
Min BTU	1019		1022		1022		1022		1021		1022		1021	
Max BTU	1034		1035		1035		1035		1035		1033		1026	
Avg Spec Gv	0.5876		0.5831		0.5832		0.5831		0.5831		0.5831		0.5777	
Min Spec Gv	0.5831		0.5791		0.5794		0.5791		0.5792		0.5792		0.5740	
Max SpeGvty	0.5907		0.5863		0.5863		0.5860		0.5861		0.5864		0.5800	

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**June 2023**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
06/01/2023	1024	0.5797	1022	0.5800	1023	0.5796	1025	0.5803	1025	0.5805	1022	0.5800	1019	0.5750
06/02/2023	1022	0.5798	1026	0.5805	1022	0.5798	1021	0.5796	1022	0.5792	1026	0.5805	1019	0.5750
06/03/2023	1026	0.5826	1022	0.5782	1027	0.5807	1026	0.5805	1027	0.5810	1022	0.5782	1019	0.5750
06/04/2023	1023	0.5808	1023	0.5790	1021	0.5774	1021	0.5776	1024	0.5792	1023	0.5790	1019	0.5750
06/05/2023	1023	0.5810	1026	0.5805	1024	0.5794	1023	0.5791	1023	0.5790	1026	0.5805	1019	0.5750
06/06/2023	1026	0.5824	1025	0.5805	1026	0.5810	1026	0.5807	1027	0.5811	1025	0.5805	1019	0.5750
06/07/2023	1024	0.5804	1022	0.5785	1023	0.5785	1023	0.5792	1023	0.5789	1022	0.5785	1019	0.5750
06/08/2023	1027	0.5830	1022	0.5792	1022	0.5789	1022	0.5784	1022	0.5785	1022	0.5792	1019	0.5750
06/09/2023	1025	0.5843	1024	0.5822	1023	0.5806	1022	0.5797	1022	0.5789	1024	0.5822	1019	0.5750
06/10/2023	1024	0.5834	1023	0.5789	1024	0.5808	1023	0.5808	1023	0.5814	1023	0.5788	1019	0.5750
06/11/2023	1023	0.5859	1022	0.5781	1024	0.5792	1024	0.5794	1025	0.5803	1022	0.5781	1019	0.5750
06/12/2023	1023	0.5851	1023	0.5789	1022	0.5781	1022	0.5789	1022	0.5782	1023	0.5789	1019	0.5750
06/13/2023	1024	0.5834	1023	0.5788	1022	0.5780	1023	0.5787	1023	0.5797	1023	0.5788	1019	0.5750
06/14/2023	1023	0.5829	1025	0.5810	1023	0.5787	1022	0.5781	1023	0.5793	1025	0.5810	1021	0.5740
06/15/2023	1024	0.5859	1026	0.5825	1022	0.5777	1025	0.5812	1022	0.5783	1026	0.5825	1021	0.5740
06/16/2023	1025	0.5853	1029	0.5849	1026	0.5828	1026	0.5827	1022	0.5776	1029	0.5849	1021	0.5740
06/17/2023	1027	0.5859	1028	0.5841	1027	0.5836	1028	0.5847	1023	0.5783	1028	0.5841	1021	0.5740
06/18/2023	1027	0.5857	1025	0.5830	1028	0.5843	1025	0.5825	1023	0.5791	1025	0.5830	1021	0.5740
06/19/2023	1027	0.5881	1029	0.5869	1026	0.5835	1025	0.5829	1024	0.5800	1029	0.5869	1021	0.5740
06/20/2023	1028	0.5904	1029	0.5867	1029	0.5866	1029	0.5866	1028	0.5850	1029	0.5867	1021	0.5740
06/21/2023	1026	0.5883	1030	0.5863	1031	0.5871	1030	0.5870	1030	0.5872	1030	0.5863	1021	0.5740
06/22/2023	1026	0.5875	1030	0.5870	1031	0.5874	1031	0.5870	1031	0.5867	1030	0.5870	1021	0.5740
06/23/2023	1025	0.5854	1026	0.5844	1031	0.5875	1030	0.5867	1032	0.5876	1026	0.5844	1021	0.5740
06/24/2023	1025	0.5856	1027	0.5842	1027	0.5848	1027	0.5851	1031	0.5870	1027	0.5842	1021	0.5740
06/25/2023	1024	0.5859	1028	0.5840	1029	0.5846	1029	0.5847	1028	0.5844	1028	0.5840	1021	0.5740
06/26/2023	1028	0.5875	1029	0.5838	1028	0.5842	1028	0.5842	1028	0.5844	1029	0.5839	1021	0.5740
06/27/2023	1026	0.5867	1029	0.5848	1030	0.5849	1030	0.5845	1030	0.5848	1029	0.5848	1021	0.5740
06/28/2023	1028	0.5872	1027	0.5835	1029	0.5853	1029	0.5851	1030	0.5854	1027	0.5835	1021	0.5740
06/29/2023	1030	0.5889	1029	0.5848	1029	0.5844	1028	0.5841	1029	0.5848	1029	0.5848	1021	0.5740
06/30/2023	1031	0.5880	1027	0.5838	1030	0.5849	1030	0.5849	1030	0.5852	1027	0.5838	1021	0.5740

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1025	1026	1026	1026	1026	1026	1020
Min BTU	1022	1022	1021	1021	1022	1022	1019
Max BTU	1031	1030	1031	1031	1032	1030	1021
Avg Spec Gv	0.5849	0.5823	0.5821	0.5822	0.5817	0.5823	0.5744
Min Spec Gv	0.5797	0.5781	0.5774	0.5776	0.5776	0.5781	0.5740
Max SpeGvty	0.5904	0.5870	0.5875	0.5870	0.5876	0.5870	0.5750

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**May 2023**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
05/01/2023	1023	0.5814	1022	0.5803	1022	0.5804	1022	0.5808	1022	0.5807	1022	0.5803	1016	0.5740
05/02/2023	1022	0.5806	1022	0.5798	1023	0.5803	1022	0.5799	1022	0.5801	1022	0.5798	1016	0.5740
05/03/2023	1023	0.5809	1020	0.5789	1021	0.5789	1021	0.5790	1022	0.5802	1020	0.5789	1016	0.5740
05/04/2023	1020	0.5782	1021	0.5793	1020	0.5789	1020	0.5787	1021	0.5796	1021	0.5793	1016	0.5740
05/05/2023	1022	0.5795	1022	0.5791	1021	0.5793	1021	0.5790	1021	0.5789	1022	0.5791	1016	0.5740
05/06/2023	1024	0.5810	1020	0.5776	1022	0.5790	1022	0.5790	1020	0.5781	1020	0.5776	1016	0.5740
05/07/2023	1020	0.5777	1020	0.5766	1021	0.5777	1020	0.5773	1020	0.5781	1020	0.5766	1016	0.5740
05/08/2023	1022	0.5785	1021	0.5788	1020	0.5766	1020	0.5765	1022	0.5794	1021	0.5788	1016	0.5740
05/09/2023	1021	0.5782	1022	0.5804	1021	0.5789	1021	0.5787	1019	0.5760	1022	0.5804	1016	0.5740
05/10/2023	1022	0.5797	1023	0.5808	1022	0.5802	1022	0.5800	1020	0.5772	1023	0.5808	1016	0.5740
05/11/2023	1024	0.5829	1024	0.5785	1023	0.5805	1023	0.5799	1022	0.5797	1024	0.5786	1016	0.5740
05/12/2023	1024	0.5806	1024	0.5796	1024	0.5782	1024	0.5783	1023	0.5800	1024	0.5796	1016	0.5740
05/13/2023	1023	0.5822	1019	0.5758	1025	0.5800	1024	0.5795	1022	0.5796	1019	0.5758	1016	0.5740
05/14/2023	1020	0.5774	1020	0.5762	1019	0.5758	1018	0.5755	1023	0.5800	1020	0.5762	1016	0.5740
05/15/2023	1020	0.5761	1020	0.5756	1021	0.5769	1020	0.5761	1022	0.5783	1020	0.5756	1016	0.5740
05/16/2023	1020	0.5764	1021	0.5778	1020	0.5758	1020	0.5756	1023	0.5779	1021	0.5778	1016	0.5740
05/17/2023	1020	0.5769	1022	0.5781	1021	0.5778	1020	0.5776	1020	0.5755	1022	0.5781	1016	0.5740
05/18/2023	1023	0.5797	1026	0.5805	1022	0.5780	1022	0.5778	1020	0.5763	1026	0.5805	1016	0.5740
05/19/2023	1025	0.5801	1024	0.5791	1025	0.5802	1025	0.5802	1022	0.5784	1024	0.5791	1019	0.5750
05/20/2023	1023	0.5789	1023	0.5799	1023	0.5788	1023	0.5788	1026	0.5802	1023	0.5799	1019	0.5750
05/21/2023	1023	0.5797	1023	0.5813	1023	0.5795	1023	0.5796	1024	0.5798	1024	0.5813	1019	0.5750
05/22/2023	1023	0.5794	1023	0.5798	1023	0.5794	1023	0.5800	1024	0.5813	1023	0.5798	1019	0.5750
05/23/2023	1023	0.5801	1024	0.5815	1023	0.5804	1023	0.5800	1023	0.5797	1024	0.5815	1019	0.5750
05/24/2023	1023	0.5809	1023	0.5808	1024	0.5816	1023	0.5813	1024	0.5815	1023	0.5808	1019	0.5750
05/25/2023	1023	0.5807	1024	0.5807	1023	0.5797	1023	0.5800	1023	0.5805	1024	0.5807	1019	0.5750
05/26/2023	1024	0.5807	1024	0.5804	1025	0.5817	1024	0.5808	1024	0.5796	1024	0.5804	1019	0.5750
05/27/2023	1023	0.5818	1026	0.5826	1024	0.5806	1024	0.5804	1026	0.5823	1026	0.5826	1019	0.5750
05/28/2023	1025	0.5831	1027	0.5827	1026	0.5822	1025	0.5818	1025	0.5818	1027	0.5827	1019	0.5750
05/29/2023	1027	0.5826	1026	0.5806	1027	0.5827	1026	0.5822	1024	0.5800	1026	0.5806	1019	0.5750
05/30/2023	1027	0.5806	1029	0.5816	1025	0.5805	1025	0.5801	1024	0.5797	1029	0.5816	1019	0.5750
05/31/2023	1026	0.5801	1025	0.5802	1028	0.5811	1028	0.5812	1026	0.5821	1025	0.5802	1019	0.5750

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1023	1023	1023	1022	1023	1023	1017
Min BTU	1020	1019	1019	1018	1019	1019	1016
Max BTU	1027	1029	1028	1028	1026	1029	1019
Avg Spec Gv	0.5799	0.5795	0.5794	0.5792	0.5794	0.5795	0.5744
Min Spec Gv	0.5761	0.5756	0.5758	0.5755	0.5755	0.5756	0.5740
Max SpeGvty	0.5831	0.5827	0.5827	0.5822	0.5823	0.5827	0.5750

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**April 2023**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
04/01/2023	1020	0.5795	1019	0.5786	1022	0.5799	1020	0.5794	1023	0.5808	1019	0.5786	1019	0.5770
04/02/2023	1018	0.5786	1020	0.5794	1019	0.5787	1019	0.5788	1022	0.5801	1020	0.5794	1019	0.5770
04/03/2023	1021	0.5801	1020	0.5781	1020	0.5790	1020	0.5792	1021	0.5795	1020	0.5781	1019	0.5770
04/04/2023	1020	0.5780	1019	0.5776	1020	0.5780	1020	0.5779	1020	0.5776	1019	0.5777	1019	0.5770
04/05/2023	1019	0.5785	1019	0.5788	1019	0.5783	1019	0.5783	1019	0.5774	1019	0.5788	1019	0.5776
04/06/2023	1020	0.5795	1020	0.5789	1020	0.5793	1020	0.5794	1020	0.5791	1020	0.5789	1019	0.5770
04/07/2023	1020	0.5785	1020	0.5792	1020	0.5785	1020	0.5786	1020	0.5786	1020	0.5792	1019	0.5770
04/08/2023	1020	0.5796	1020	0.5793	1021	0.5800	1021	0.5798	1020	0.5785	1020	0.5793	1019	0.5770
04/09/2023	1019	0.5789	1019	0.5783	1020	0.5794	1020	0.5787	1020	0.5791	1019	0.5783	1019	0.5770
04/10/2023	1019	0.5783	1019	0.5795	1019	0.5786	1019	0.5789	1020	0.5789	1019	0.5795	1019	0.5770
04/11/2023	1020	0.5805	1019	0.5795	1019	0.5793	1019	0.5795	1020	0.5799	1019	0.5795	1019	0.5770
04/12/2023	1018	0.5795	1018	0.5786	1019	0.5796	1019	0.5793	1019	0.5797	1018	0.5787	1019	0.5776
04/13/2023	1018	0.5788	1018	0.5785	1018	0.5786	1018	0.5785	1018	0.5789	1018	0.5785	1016	0.5740
04/14/2023	1017	0.5767	1018	0.5762	1017	0.5760	1018	0.5766	1019	0.5789	1018	0.5762	1016	0.5740
04/15/2023	1018	0.5762	1018	0.5755	1018	0.5764	1018	0.5763	1019	0.5771	1018	0.5755	1016	0.5740
04/16/2023	1018	0.5760	1019	0.5766	1018	0.5755	1018	0.5756	1018	0.5757	1019	0.5766	1016	0.5740
04/17/2023	1018	0.5766	1018	0.5764	1019	0.5772	1019	0.5771	1019	0.5769	1018	0.5764	1016	0.5740
04/18/2023	1018	0.5759	1020	0.5764	1018	0.5757	1018	0.5759	1018	0.5762	1020	0.5765	1016	0.5740
04/19/2023	1021	0.5772	1023	0.5790	1021	0.5773	1021	0.5775	1020	0.5764	1023	0.5790	1016	0.5740
04/20/2023	1023	0.5795	1024	0.5818	1024	0.5803	1024	0.5803	1023	0.5788	1024	0.5818	1016	0.5740
04/21/2023	1025	0.5834	1023	0.5814	1024	0.5825	1024	0.5818	1024	0.5818	1023	0.5814	1016	0.5740
04/22/2023	1025	0.5834	1024	0.5823	1023	0.5816	1023	0.5817	1023	0.5812	1024	0.5823	1016	0.5740
04/23/2023	1025	0.5839	1025	0.5831	1023	0.5816	1024	0.5823	1023	0.5818	1025	0.5831	1016	0.5740
04/24/2023	1026	0.5843	1025	0.5835	1024	0.5826	1025	0.5833	1024	0.5826	1025	0.5835	1016	0.5740
04/25/2023	1025	0.5836	1021	0.5805	1024	0.5825	1023	0.5822	1026	0.5837	1021	0.5805	1016	0.5740
04/26/2023	1024	0.5827	1022	0.5818	1021	0.5806	1021	0.5809	1021	0.5800	1022	0.5818	1016	0.5740
04/27/2023	1024	0.5829	1021	0.5804	1022	0.5812	1022	0.5815	1023	0.5822	1021	0.5804	1016	0.5740
04/28/2023	1021	0.5818	1021	0.5799	1021	0.5802	1021	0.5798	1021	0.5802	1021	0.5799	1016	0.5740
04/29/2023	1023	0.5829	1019	0.5791	1020	0.5788	1020	0.5796	1022	0.5807	1019	0.5791	1016	0.5740
04/30/2023	1022	0.5820	1022	0.5808	1020	0.5789	1019	0.5791	1019	0.5791	1022	0.5808	1016	0.5740

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1021	1020	1020	1020	1021	1020	1017
Min BTU	1017	1018	1017	1018	1018	1018	1016
Max BTU	1026	1025	1024	1025	1026	1025	1019
Avg Spec Gv	0.5799	0.5793	0.5792	0.5793	0.5794	0.5793	0.5752
Min Spec Gv	0.5759	0.5755	0.5755	0.5756	0.5757	0.5755	0.5740
Max SpeGvty	0.5843	0.5835	0.5826	0.5833	0.5837	0.5835	0.5776

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

**March 2023**

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
03/01/2023	1027	0.5828	1027	0.5827	1028	0.5832	1027	0.5830	1028	0.5829	1027	0.5827	1026	0.5830
03/02/2023	1029	0.5845	1028	0.5844	1029	0.5844	1029	0.5846	1028	0.5838	1028	0.5844	1026	0.5830
03/03/2023	1025	0.5828	1024	0.5821	1025	0.5827	1025	0.5828	1027	0.5837	1024	0.5821	1026	0.5830
03/04/2023	1024	0.5821	1025	0.5822	1025	0.5820	1025	0.5823	1024	0.5819	1025	0.5822	1026	0.5830
03/05/2023	1025	0.5829	1026	0.5829	1026	0.5826	1026	0.5830	1025	0.5826	1026	0.5829	1026	0.5830
03/06/2023	1026	0.5832	1027	0.5831	1027	0.5830	1026	0.5831	1026	0.5829	1027	0.5831	1026	0.5830
03/07/2023	1026	0.5826	1025	0.5823	1026	0.5827	1026	0.5829	1026	0.5829	1025	0.5823	1026	0.5830
03/08/2023	1026	0.5821	1026	0.5816	1026	0.5821	1026	0.5819	1026	0.5824	1026	0.5816	1026	0.5830
03/09/2023	1027	0.5815	1027	0.5815	1027	0.5813	1027	0.5815	1025	0.5821	1027	0.5816	1026	0.5830
03/10/2023	1027	0.5825	1027	0.5831	1027	0.5819	1027	0.5826	1025	0.5821	1027	0.5831	1026	0.5830
03/11/2023	1028	0.5835	1028	0.5841	1028	0.5834	1028	0.5838	1027	0.5814	1028	0.5841	1026	0.5830
03/12/2023	1028	0.5841	1027	0.5838	1028	0.5840	1028	0.5844	1027	0.5814	1027	0.5838	1026	0.5830
03/13/2023	1025	0.5832	1024	0.5825	1027	0.5837	1026	0.5836	1027	0.5827	1024	0.5825	1026	0.5830
03/14/2023	1023	0.5815	1023	0.5811	1024	0.5825	1023	0.5819	1028	0.5841	1023	0.5811	1026	0.5830
03/15/2023	1021	0.5807	1023	0.5815	1023	0.5813	1023	0.5813	1027	0.5838	1023	0.5815	1026	0.5830
03/16/2023	1023	0.5814	1023	0.5811	1023	0.5815	1024	0.5817	1024	0.5821	1023	0.5811	1026	0.5830
03/17/2023	1022	0.5804	1021	0.5801	1023	0.5809	1023	0.5811	1024	0.5819	1021	0.5801	1026	0.5830
03/18/2023	1020	0.5791	1020	0.5786	1022	0.5804	1020	0.5793	1023	0.5813	1020	0.5786	1026	0.5830
03/19/2023	1020	0.5791	1022	0.5794	1019	0.5783	1021	0.5792	1024	0.5813	1022	0.5794	1026	0.5830
03/20/2023	1022	0.5791	1021	0.5785	1022	0.5793	1022	0.5792	1023	0.5808	1021	0.5785	1019	0.5770
03/21/2023	1019	0.5774	1021	0.5787	1021	0.5786	1021	0.5789	1021	0.5797	1021	0.5787	1019	0.5770
03/22/2023	1021	0.5788	1021	0.5788	1021	0.5788	1021	0.5789	1022	0.5794	1021	0.5788	1019	0.5770
03/23/2023	1020	0.5782	1020	0.5782	1021	0.5787	1020	0.5784	1022	0.5787	1020	0.5782	1019	0.5770
03/24/2023	1020	0.5784	1021	0.5793	1020	0.5782	1021	0.5787	1022	0.5792	1021	0.5793	1019	0.5770
03/25/2023	1021	0.5798	1021	0.5799	1021	0.5796	1021	0.5799	1020	0.5784	1021	0.5799	1019	0.5776
03/26/2023	1022	0.5801	1022	0.5804	1021	0.5798	1022	0.5802	1021	0.5784	1022	0.5804	1019	0.5770
03/27/2023	1022	0.5806	1023	0.5811	1023	0.5805	1023	0.5809	1021	0.5794	1023	0.5811	1019	0.5770
03/28/2023	1022	0.5810	1023	0.5809	1023	0.5813	1023	0.5814	1022	0.5803	1023	0.5809	1019	0.5770
03/29/2023	1025	0.5822	1026	0.5824	1025	0.5819	1025	0.5821	1024	0.5816	1026	0.5824	1019	0.5770
03/30/2023	1026	0.5821	1025	0.5817	1026	0.5822	1026	0.5823	1027	0.5826	1025	0.5817	1019	0.5770
03/31/2023	1023	0.5806	1022	0.5800	1023	0.5807	1023	0.5806	1025	0.5813	1022	0.5800	1019	0.5776

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1024	1024	1024	1024	1025	1024	1023
Min BTU	1019	1020	1019	1020	1020	1020	1019
Max BTU	1029	1028	1029	1029	1028	1028	1026
Avg Spec Gv	0.5812	0.5812	0.5813	0.5815	0.5815	0.5812	0.5807
Min Spec Gv	0.5774	0.5782	0.5782	0.5784	0.5784	0.5782	0.5770
Max SpeGvty	0.5845	0.5844	0.5844	0.5846	0.5841	0.5844	0.5830

\*\*\* Unofficial Data, Subject to Change \*\*\*

# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## February 2023

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
02/01/2023	1034	0.5873	1035	0.5871	1043	0.5862	1034	0.5874	1049	0.5837	1035	0.5871	1026	0.5830
02/02/2023	1035	0.5876	1036	0.5889	1050	0.5826	1035	0.5877	1052	0.5793	1036	0.5889	1026	0.5830
02/03/2023	1036	0.5894	1034	0.5869	1042	0.5840	1036	0.5888	1047	0.5823	1034	0.5869	1026	0.5830
02/04/2023	1031	0.5851	1030	0.5841	1032	0.5854	1032	0.5854	1033	0.5857	1030	0.5841	1026	0.5830
02/05/2023	1028	0.5832	1029	0.5841	1028	0.5827	1028	0.5832	1029	0.5836	1029	0.5841	1026	0.5830
02/06/2023	1031	0.5847	1032	0.5840	1031	0.5845	1031	0.5845	1030	0.5849	1032	0.5840	1026	0.5830
02/07/2023	1033	0.5850	1032	0.5845	1033	0.5848	1033	0.5850	1033	0.5846	1032	0.5845	1026	0.5830
02/08/2023	1032	0.5845	1032	0.5842	1033	0.5844	1033	0.5846	1032	0.5845	1032	0.5842	1026	0.5830
02/09/2023	1031	0.5838	1030	0.5830	1031	0.5835	1032	0.5837	1032	0.5841	1030	0.5830	1026	0.5830
02/10/2023	1030	0.5837	1030	0.5848	1030	0.5838	1030	0.5840	1030	0.5830	1030	0.5848	1026	0.5830
02/11/2023	1030	0.5852	1029	0.5853	1031	0.5855	1030	0.5854	1031	0.5849	1029	0.5853	1026	0.5830
02/12/2023	1028	0.5853	1028	0.5848	1029	0.5853	1028	0.5853	1028	0.5852	1028	0.5848	1026	0.5830
02/13/2023	1029	0.5841	1030	0.5840	1029	0.5839	1030	0.5841	1028	0.5848	1030	0.5840	1026	0.5830
02/14/2023	1030	0.5845	1032	0.5852	1031	0.5849	1031	0.5846	1033	0.5835	1032	0.5852	1026	0.5830
02/15/2023	1031	0.5855	1031	0.5856	1032	0.5862	1033	0.5866	1032	0.5859	1031	0.5856	1026	0.5830
02/16/2023	1028	0.5835	1029	0.5830	1029	0.5835	1029	0.5840	1029	0.5850	1029	0.5830	1026	0.5830
02/17/2023	1027	0.5824	1028	0.5824	1028	0.5825	1028	0.5825	1029	0.5831	1028	0.5824	1026	0.5830
02/18/2023	1029	0.5831	1030	0.5837	1031	0.5834	1030	0.5836	1026	0.5814	1030	0.5837	1026	0.5830
02/19/2023	1029	0.5823	1028	0.5819	1030	0.5830	1029	0.5823	1032	0.5840	1028	0.5819	1026	0.5830
02/20/2023	1028	0.5827	1029	0.5827	1028	0.5822	1028	0.5826	1031	0.5843	1029	0.5827	1026	0.5830
02/21/2023	1028	0.5826	1027	0.5821	1028	0.5822	1028	0.5824	1029	0.5832	1027	0.5821	1026	0.5830
02/22/2023	1027	0.5820	1025	0.5813	1027	0.5820	1027	0.5821	1027	0.5820	1025	0.5813	1026	0.5830
02/23/2023	1026	0.5824	1026	0.5832	1025	0.5825	1025	0.5827	1026	0.5818	1026	0.5832	1026	0.5830
02/24/2023	1026	0.5831	1026	0.5824	1026	0.5831	1026	0.5830	1026	0.5834	1026	0.5825	1026	0.5830
02/25/2023	1029	0.5839	1031	0.5847	1029	0.5838	1029	0.5840	1024	0.5819	1031	0.5847	1026	0.5830
02/26/2023	1031	0.5842	1031	0.5841	1032	0.5844	1031	0.5842	1040	0.5812	1031	0.5841	1026	0.5830
02/27/2023	1028	0.5828	1027	0.5826	1029	0.5829	1028	0.5829	1035	0.5832	1027	0.5826	1026	0.5830
02/28/2023	1027	0.5841	1027	0.5840	1027	0.5835	1028	0.5843	1034	0.5811	1027	0.5840	1026	0.5830

	Thermal Zone 1 Oceanside	Thermal Zone 2 Rainbow	Thermal Zone 3 Sweetwater	Thermal Zone 4 Witherby	Thermal Zone 5 Harvest Station	Thermal Zone 6 Pomerado	Thermal Zone 7 Point Loma
Avg BTU	1030	1030	1031	1030	1032	1030	1026
Min BTU	1026	1025	1025	1025	1024	1025	1026
Max BTU	1036	1036	1050	1036	1052	1036	1026
Avg Spec Gv	0.5842	0.5841	0.5838	0.5843	0.5834	0.5841	0.5830
Min Spec Gv	0.5820	0.5813	0.5820	0.5821	0.5793	0.5813	0.5830
Max SpeGvty	0.5894	0.5889	0.5862	0.5888	0.5859	0.5889	0.5830

\*\*\* Unofficial Data, Subject to Change \*\*\*



# SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

## January 2023

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
01/01/2023	1043	0.5919	1036	0.5882	1042	0.5912	1045	0.5928	1052	0.5973	1036	0.5882	1031	0.5870
01/02/2023	1032	0.5863	1029	0.5837	1035	0.5871	1033	0.5867	1043	0.5918	1029	0.5837	1031	0.5870
01/03/2023	1029	0.5835	1028	0.5825	1028	0.5827	1029	0.5831	1029	0.5832	1028	0.5825	1031	0.5870
01/04/2023	1027	0.5827	1028	0.5830	1028	0.5825	1028	0.5827	1028	0.5825	1028	0.5830	1031	0.5870
01/05/2023	1028	0.5836	1028	0.5836	1029	0.5838	1029	0.5838	1029	0.5837	1028	0.5836	1031	0.5870
01/06/2023	1026	0.5827	1026	0.5826	1027	0.5824	1027	0.5825	1027	0.5830	1026	0.5826	1031	0.5870
01/07/2023	1028	0.5844	1029	0.5845	1028	0.5841	1028	0.5841	1027	0.5832	1029	0.5845	1031	0.5870
01/08/2023	1029	0.5852	1028	0.5852	1029	0.5848	1029	0.5851	1030	0.5851	1028	0.5852	1031	0.5870
01/09/2023	1025	0.5831	1024	0.5810	1025	0.5825	1026	0.5836	1027	0.5840	1024	0.5810	1031	0.5870
01/10/2023	1023	0.5806	1024	0.5811	1024	0.5806	1023	0.5805	1023	0.5804	1024	0.5811	1031	0.5870
01/11/2023	1024	0.5814	1024	0.5815	1024	0.5815	1024	0.5813	1024	0.5816	1024	0.5815	1031	0.5870
01/12/2023	1025	0.5827	1025	0.5829	1025	0.5830	1025	0.5825	1025	0.5823	1025	0.5829	1031	0.5857
01/13/2023	1025	0.5829	1026	0.5827	1026	0.5827	1026	0.5830	1026	0.5830	1026	0.5827	1031	0.5870
01/14/2023	1026	0.5830	1026	0.5833	1026	0.5828	1026	0.5829	1026	0.5827	1026	0.5833	1031	0.5870
01/15/2023	1027	0.5840	1026	0.5827	1027	0.5836	1027	0.5841	1026	0.5830	1026	0.5827	1031	0.5870
01/16/2023	1025	0.5825	1027	0.5832	1026	0.5827	1027	0.5829	1026	0.5829	1027	0.5832	1031	0.5870
01/17/2023	1028	0.5841	1029	0.5839	1028	0.5838	1028	0.5841	1027	0.5832	1029	0.5839	1031	0.5870
01/18/2023	1029	0.5836	1029	0.5826	1030	0.5836	1029	0.5837	1029	0.5840	1029	0.5826	1026	0.5830
01/19/2023	1031	0.5844	1030	0.5839	1031	0.5837	1031	0.5842	1029	0.5823	1030	0.5839	1026	0.5830
01/20/2023	1029	0.5831	1029	0.5829	1029	0.5828	1030	0.5831	1030	0.5838	1029	0.5829	1026	0.5830
01/21/2023	1030	0.5844	1031	0.5850	1030	0.5841	1030	0.5845	1030	0.5836	1031	0.5850	1026	0.5830
01/22/2023	1032	0.5857	1032	0.5856	1032	0.5858	1032	0.5858	1032	0.5858	1032	0.5856	1026	0.5830
01/23/2023	1029	0.5831	1028	0.5830	1029	0.5832	1029	0.5832	1032	0.5851	1028	0.5830	1026	0.5830
01/24/2023	1030	0.5849	1030	0.5843	1031	0.5852	1031	0.5851	1030	0.5846	1030	0.5843	1026	0.5830
01/25/2023	1029	0.5841	1031	0.5861	1030	0.5845	1030	0.5845	1029	0.5838	1031	0.5861	1026	0.5830
01/26/2023	1033	0.5882	1035	0.5898	1034	0.5885	1034	0.5885	1032	0.5873	1035	0.5898	1026	0.5830
01/27/2023	1036	0.5910	1035	0.5895	1037	0.5915	1036	0.5911	1036	0.5906	1035	0.5895	1026	0.5830
01/28/2023	1033	0.5876	1033	0.5865	1034	0.5886	1033	0.5875	1034	0.5890	1033	0.5865	1026	0.5830
01/29/2023	1032	0.5862	1032	0.5860	1033	0.5862	1033	0.5861	1033	0.5872	1032	0.5860	1026	0.5830
01/30/2023	1032	0.5859	1031	0.5851	1032	0.5854	1032	0.5858	1032	0.5856	1031	0.5851	1026	0.5830
01/31/2023	1032	0.5859	1033	0.5864	1032	0.5855	1032	0.5860	1031	0.5850	1033	0.5865	1026	0.5830

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Pomerado		Thermal Zone 7 Point Loma	
Avg BTU	1029		1029		1030		1030		1030		1029		1029	
Min BTU	1023		1024		1024		1023		1023		1024		1026	
Max BTU	1043		1036		1042		1045		1052		1036		1031	
Avg Spec Gv	0.5846		0.5843		0.5845		0.5847		0.5849		0.5843		0.5852	
Min Spec Gv	0.5806		0.5810		0.5806		0.5805		0.5804		0.5810		0.5830	
Max SpeGvty	0.5919		0.5898		0.5915		0.5928		0.5973		0.5898		0.5870	

\*\*\* Unofficial Data, Subject to Change \*\*\*