RESOLUTION NO.

| | | | 3 | 6719-G |
|---|--|---|--|--|
| | CONTINUITY OF | Rule No. 23 SERVICE AND INTERRUPTI | ON OF DELIVE | Sheet 1 |
| | | | | |
| A. <u>General</u> | | | | |
| and to avoid any failure to delive from breakage of | y interruption of sam r gas or provide serv of its facilities, howe | diligence and care to furnish ar ne. The Utility shall not be liab vice to its customers, which fail ever caused, war, riots, acts of C nitations or other conditions bey | le for damages or ure in any way or od, strikes, failur | otherwise for any manner results re of or |
| B. Priority of Serv | ice | | | |
| as described in | Section C, Curtailme | ined in Rule No. 1, the Utility silent of Service, herein. Custometice classifications as set forth be | er usage will be as | |
| Core Service | | | | |
| Priority 1 | industrialnonreside usage reclassified generation, refiner | ge regardless of size. All commential usage less than 20,800 the to noncore service pursuant to c y and enhanced oil recovery (E electing core service. | erms per active m sustomer request. | onth*, excluding All electric |
| Priority 2A | | d non-refinery industrial<u>nonres</u> month* who elect to remain cor re service . | | |
| Noncore Servic | <u>e</u> | | | |
| generation, e month* who <u>including a)</u> <u>of greater tha</u> <u>generators g</u> | enhanced oil recover <u>have not electedelec</u> <u>electric generationre</u> <u>an</u> 20,800 therms <u>or</u> <u>reater than 1 megaw</u> | ommercial and industrial usage of y (EOR), and refinery usage less cting -noncore service, and (3) a <u>efinery</u> , and refinery and enhance <u>greater</u> per active month* and the att (MW) system rated generation that have usage of greater than 20 | s than 20,800 the ill <u>usage ineligibl</u> ed oil recovery () all electric gene ng capacity, base | erms per active <u>e for core service,</u> EOR) <u>with usage</u> eration usage from <u>d on net</u> |
| month*. | _ | | | |
| Firm Service | All usage served the | hrough firm intrastate transmiss | ion service. | |
| Interruptible | | hrough interruptible intrastate tr considered interruptible intrasta | | ce. Interutility |
| * A customer sha | ll be considered to n | neet the size criteria of 20,800 the (Continued) | nerms <u>or greater</u> j | per active month |
| (TO BE INSERTED B ADVICE LETTER NO. DECISION NO. | y utility) 3622 | ISSUED BY Lee Schavrien Vice President | (TO BE DATE FILED EFFECTIVE | INSERTED BY CAL. PUC) Apr 7, 2006 May 7, 2006 |
| | | | | |

Regulatory Affairs

LOS ANGELES, CALIFORNIA CANCELING

Rule No. 23 CONTINUITY OF SERVICE AND INTERRUPTION OF DELIVERY

Sheet 1

when on an annualized basis, for any period of 12 contiguous months within the most recent 24 month period, the customer's active month consumption averages 20,800 therms or greater. An active month is one in which consumption exceeds 1,000 therms.

(Continued)

ISSUED BY Lee Schavrien Vice President Regulatory Affairs (TO BE INSERTED BY CAL. PUC) DATE FILED <u>Apr 7, 2006</u> EFFECTIVE <u>May 7, 2006</u> RESOLUTION NO.